

SAMPLE IDENTIFICATION

Peptide:	Retatrutide	Date Requested:	Aug 24, 2026
Client:	Stefan Ambrose	First Acquired:	Aug 24, 2026 11:15:04 EDT
Sample ID:	AL-RETA-10-082426	Date Tested:	Aug 28, 2026
Lot Number:	RT010052826	Date Reported:	Sep 25, 2026

HPLC-UV PURITY & CONTENT ANALYSIS

Expected Content 10 mg	Mass 12.46 mg	Purity 99.93%	Fill Accuracy 124.6%
----------------------------------	-------------------------	-------------------------	--------------------------------





Fig. 1 - HPLC-UV Chromatogram at 214nm



Appearance

Appearance: **White Lyophilized Powder**

BACTERIAL ENDOTOXIN TEST (USP <85>)

Method	Result	Specification	Verdict
Kinetic LAL (USP <85>)	< 0.125 EU/mL	<= 0.125 EU/mL	PASS

Interpretation: Endotoxin not detected (0.125 EU/mL) at validated 1:16 dilution (3.0 mL reconstituted vial).

ELEMENTAL IMPURITIES (USP <233>)

Element	Method	Result (PPM)	Limit (PPM)	Verdict
Arsenic (As)	USP<233>	< 0.002	< 1.5	PASS
Cadmium (Cd)	USP<233>	< 0.001	< 0.5	PASS
Lead (Pb)	USP<233>	< 0.003	< 0.5	PASS
Mercury (Hg)	USP<233>	< 0.002	< 0.15	PASS

Overall: No significant heavy metals detected.

Laboratory identity and applicable credentials are maintained by Testides and are available to regulatory authorities where required by law.



Digital Verification